Material Safety Data Sheet ORIGIN Chroma Inhibitor **MSDS**

Revision: 10.15.2014

1. Product and Company Identification

Product Name: Origin Chroma Inhibitor – a component of ORIGIN LIVE Zirconia Color Liquid system

Revision Date: 10.15.2014

MSDS Number: 44

Product Use: Chroma inhibiting liquid for shading of Origin Live™ zirconia.

For dental lab use only

(Zirconia-based Crown and Bridge frameworks, Full contour application)

Manufacturer **B&D Dental Corp**

2371 South, Presidents Dr. Suite E&F

West Valley City, UT 84120

Technical Services: (801) 281-4012

Emergency MSDS Assistance:

US: (800) 255-2839

Email: support@OriginCadCam.com

2. Chemical Composition / Information on Ingredients

Chemical characterization Polyethylene Glycol (CAS Nr. 25322-68-3) 10 – 20 wt%

Distilled water: remaining

Food-grade colorant (FD&C Green)

Hazardous components: None

3. Hazards Identification

Adverse human effects and symptoms:

As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

May cause mild irritation to eyes, respiratory system or skin.

4. First Aid Measures

Eye Contact: No adverse effects expected.

Material Safety Data Sheet ORIGIN Chroma Inhibitor **MSDS**

Revision: 10.15.2014

Skin Contact: No adverse effects expected.

Ingestion: Large doses of the lower molecular weight products may cause gastro-intestinal upset. Inhalation: No adverse health effects expected from inhalation. (May be a mechanical irritant.)

5. Fire Fighting Measures

Fire:

As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source. (increases as molecular weight increases). Flash point: 182 - 287 C.

Explosion:

Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Fire Extinguishing Media:

Water spray, dry chemical, alcohol foam, or carbon dioxide.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Solid Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent

scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

Liquid Spills: Absorb with vermiculite, dry sand, earth or similar material and place in a chemical waste container. Do not use combustible materials, such as saw

dust. Do not flush to sewer.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Containers of this material may be hazardous when

empty since they retain product residues (dust, solids, vapors, liquid); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

AIHA Workplace Environmental Exposure Level (WEEL):

Polypropylene glycols: 8-hour TWA: 10 mg/m3, as an aerosol

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH

document. Industrial Ventilation. A Manual of Recommended Practices. most recent edition, for details.

Personal Respirators (NIOSH Approved):

For use with solids (not required for liquids): If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest.. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full face piece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygendeficient atmospheres.

MSDS

Material Safety Data Sheet ORIGIN Chroma Inhibitor

Revision: 10.15.2014

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and chemical properties

Form Liquid Color Green Odor Distinctive

Changes in physical state

Melting point/sphere N/A

Boiling point/sphere 100 degrees C

Density at 20 °C 1g/cm³ Solubility Water Complete Flash point N/A

Ignition temperature N/A

No risk of explosion **Explosion limits**

10. Stability and reactivity

Chemical Stability Yes Hazardous decomposition None Hazardous reactions None Further information None

11. Toxicological information

Contains no carcinogens as determined by the standard.

12. Ecological Information

Not defined Biodegradability

Further details No adverse ecological effects if handled and used according to

manufacturer's specifications

13. Disposal Considerations

Product Dispose of according to local and governmental regulations with

regards to toxic waste treatment.

Material Safety Data Sheet ORIGIN Chroma Inhibitor **MSDS**

Revision: 10.15.2014

14. Transport Information

Not regulated

15. Regulatory Information

Regulations This product does not require classification according to the criteria

of the EC. European Directive 93/42 for medical products

16. Further Information

Hazard rating Health 1 (slight)

Flammability 0 (minimal) Reactivity 0 (minimal)

Specific Dangers None

The information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed in good faith and believed to be correct as of the date hereof. B&D Dental Corp., however, makes no representations as to the completeness or accuracy of this information and supplies it on the condition that the persons receiving same will make their own determinations as to its suitability for their purpose prior to use. In no event will B&D Dental Corp. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.